

METROPOL



Rakumba

MATERIALS & FINISHES



ANODISED GOLDEN | FROSTED WHITE



ANODISED GOLDEN | FROSTED PINK



ANODISED BLACK | FROSTED WHITE



ANODISED BLACK | FROSTED PINK



OPTIONS


PENDANT

- | | |
|--------------------|--|
| MODEL: | <input type="radio"/> SINGLE SMALL PENDANT
<input type="radio"/> DOUBLE SMALL PENDANT
<input type="radio"/> TRIPLE SMALL PENDANT
<input type="radio"/> SINGLE LARGE PENDANT
<input type="radio"/> DOUBLE LARGE PENDANT
<input type="radio"/> TRIPLE LARGE PENDANT |
| FINISH: | <input type="radio"/> ANODISED BLACK
<input type="radio"/> ANODISED GOLDEN
<input type="radio"/> CUSTOM |
| GLASS: | <input type="radio"/> FROSTED WHITE
<input type="radio"/> FROSTED PINK |
| COLOUR TEMP: | <input type="radio"/> 2700K (STANDARD)
<input type="radio"/> 3000K
<input type="radio"/> 4000K |
| DIMMING: | <input type="radio"/> NON DIMMABLE (REMOTE DRIVER)
<input type="radio"/> PHASE CUT/TRIAC (REMOTE DRIVER)
<input type="radio"/> DALI/SWITCH-DIM (REMOTE DRIVER)
<input type="radio"/> 1-10V (REMOTE DRIVER) |
| FLEX: | <input type="radio"/> ULTRA FINE WHITE BRAIDED
<input type="radio"/> ULTRA FINE BLACK BRAIDED |
| SUSPENSION LENGTH: | <input type="radio"/> 1.5M
<input type="radio"/> 2.5M
<input type="radio"/> CUSTOM (MAX 10M) |
| SEAMLESS CANOPY: | <input type="radio"/> BLACK <input type="radio"/> SILVER <input type="radio"/> NONE
<input type="radio"/> WHITE <input type="radio"/> BRASS |


WALL

- | | |
|--------------|--|
| MODEL: | <input type="radio"/> SMALL WALL
<input type="radio"/> LARGE WALL |
| FINISH: | <input type="radio"/> ANODISED BLACK
<input type="radio"/> ANODISED GOLDEN
<input type="radio"/> CUSTOM |
| GLASS: | <input type="radio"/> FROSTED WHITE
<input type="radio"/> FROSTED PINK |
| COLOUR TEMP: | <input type="radio"/> 2700K (STANDARD)
<input type="radio"/> 3000K
<input type="radio"/> 4000K |
| DIMMING: | <input type="radio"/> PHASE CUT/TRIAC (INTEGRATED) - STANDARD
<input type="radio"/> NON DIMMABLE (REMOTE)
<input type="radio"/> DALI/SWITCH-DIM (REMOTE)
<input type="radio"/> 1-10V (REMOTE) |

WALL



PENDANT



DATA

	SINGLE SMALL PENDANT	DOUBLE SMALL PENDANT	TRIPLE SMALL PENDANT	SINGLE LARGE PENDANT	DOUBLE LARGE PENDANT	TRIPLE LARGE PENDANT	SMALL WALL	LARGE WALL
LIGHTSOURCE	INTEGRATED LED							
POWER	15W	30W	45W	20W	40W	60W	10W	14W
LUMENS (SOURCE)	1350lm	2700lm	4050lm	1890lm	3780lm	5670lm	900lm	1260lm
LUMENS (DELIVERED)	-	-	-	-	-	-	-	-
CRI	CRI90							
PRIMARY VOLTAGE (TO DRIVER)	220-240VAC							
SECONDARY VOLTAGE (TO FITTING)	24VDC CONSTANT VOLTAGE						220-240VAC (INTEGRATED DRIVER MODEL ONLY)	
PRODUCT WEIGHT	1.6kg	3.2kg	4.8kg	2.2kg	4.3kg	6.5kg	1.6kg	2.1kg
PACKED WEIGHT (FITTING)	2.7kg	4.5kg	6kg	3.3kg	4.9kg	7.6kg	1.9kg	2.4kg
PACKED DIMENSIONS	20x15x44CM	33x15x44CM	46x15x44CM	22x16x44CM	36x16x44CM	52x16x44CM	14x13x42CM	16x15x50CM
DRIVER LOCATION: NON DIMMABLE OPTION	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE
DRIVER LOCATION: PHASE CUT/TRIAC OPTION	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	INTEGRATED	INTEGRATED
DRIVER LOCATION: DALI / SWITCH-DIM OPTION	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE
DRIVER LOCATION: 1-10V OPTION	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE	REMOTE
IP RATING	IP20							
L70	50,000 HOURS							