

CAPITAL

RP-E-1602




Rakumba

WWW.RAKUMBA.COM
SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2022
COVER PHOTO BY HAYDN CATTACH

Rakumba









CAPITAL

RP-E-1602

An elegant linear pendant with presence, Capital is a contemporary nod to Art Deco New York style. Carefully considered fluted brass and solid timber detailing builds visual impact, drawing the eye and bringing fine texture to beautiful spaces.

Featuring waxed brass living finishes that age gracefully and patina over time, this pendant series is simultaneously luxurious and deeply functional; the independently controlled up and down illumination offers significant scope for sophisticated lighting schemes.



MATERIAL & FINISHES




SATIN BRASS & WALNUT



PATINA BRASS & WALNUT



BLACK & BLACK



BLACK & WALNUT



WHITE & WHITE



WHITE & WALNUT

OPTIONS

- DIMENSION:
- 1400
 - 1800
 - 2400

- FINISH:
- SATIN WAXED BRASS & WALNUT
 - PATINA WAXED BRASS & WALNUT
 - SATIN CLEAR PROTECT BRASS & WALNUT**
 - PATINA CLEAR PROTECT BRASS & WALNUT**
 - BLACK & WALNUT
 - BLACK & BLACK
 - WHITE & WALNUT
 - WHITE & WHITE

- SUSPENSION LENGTH:
- 2M*
 - 5M
 - CUSTOM (MAX 10M)

- DIMMING:
- NON-DIM*
 - PHASE CUT/TRIAC
 - DALI/SWITCH DIM

- COLOUR TEMP:
- 2700K
 - 3000K*
 - 4000K

- FLEX:
- ULTRAFINE BLACK BRAIDED*
 - ULTRAFINE WHITE BRAIDED

- SEAMLESS CANOPY:
- BLACK*
 - WHITE
 - SILVER
 - BRASS

*STANDARD

**Terms and Conditions: Rakumba's clear protection coating significantly increases resistance to oxidation and surface changes over time.

Longevity is not guaranteed for a fixed time period or for all environments; this will vary depending on location, site conditions, cleaning, exposure to caustic substances etc. We recommend treating the surface with care to preserve it as long as possible.


Once damaged, the clear protection coating may be restored – please contact Rakumba for more information.

DATA

RP-E-1602 P	CAPITAL 1400MM	CAPITAL 1800MM	CAPITAL 2400MM
LIGHTSOURCE	INTEGRATED LED		
POWER	55W	70W	100W
LUMENS (SOURCE)	Downlighting: 3000lm Uplighting: 3000lm	Downlighting: 4000lm Uplighting: 4000lm	Downlighting: 5450lm Uplighting: 5450lm
LUMENS (DELIVERED)	3700lm total	4900lm total	6810lm total
COLOUR TEMPERATURE	3000K		
CRI	CRI90		
PRIMARY VOLTAGE (TO DRIVER)	240VAC		
SECONDARY VOLTAGE (TO FITTING)	24VDC		
PRODUCT WEIGHT	2kg	3kg	4kg
PACKED WEIGHT	5kg	6kg	7kg
PACKED DIMENSIONS	158 x 17 x 17 cm	198 x 17 x 17 cm	258 x 17 x 17 cm
DRIVER LOCATION: PHASE CUT/TRIAC OPTION	REMOTE		
DRIVER LOCATION: DALI / SWITCH-DIM OPTION	REMOTE		
IP RATING	IP20		
L70	72,000 HOURS		
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE		

DIMENSIONS

ALL DIMENSIONS IN MILLIMETERS





ARCHIER

Archier creates design experiences that contribute to a better quality of life. Their work encompasses residential, commercial and government architecture; public and private landscape projects; as well as the design and manufacture of furniture, lighting and construction products.

The studio's directors have over 25 years of combined experience, drawn together to create an inclusive practice that is outcome orientated.