



WWW.RAKUMBA.COM SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2022 COVER PHOTO BY HAYDN CATTACH


Rakumba



2 HIGHLINE








HIGHLINE

RP-E-1502

Minimalist and elegant, Highline is a true modern classic of linear lighting, prized for a sense of restrained luxury that allows the surrounding architecture to shine. With carefully considered detailing, Highline showcases honest, precious materiality and exemplary workmanship.

Within its incredibly slim profile, Highline incorporates both upward and downward lighting of impressive potency. The luminaire features oiled walnut details and waxed brass living finishes that age gracefully and patina over time. White or black editions are available for a monochromatic aesthetic.



MATERIAL & FINISHES







PATINA BRASS & WALNUT



BLACK & BLACK




BLACK & WALNUT



WHITE & WHITE



WHITE & WALNUT



OPTIONS

DIMENSION:	0	1400	
DIMENSION.	0		
	0	2400	
		2.00	
FINISH:	0	SATIN WAXED BRASS & WALNUT	
	0	PATINA WAXED BRASS & WALNUT	
	0	SATIN CLEAR PROTECT BRASS & WALNUT**	
	0	PATINA CLEAR PROTECT BRASS & WALNUT**	
	0	BLACK & WALNUT	
	0	BLACK & BLACK	
	0	WHITE & WALNUT	
	0	WHITE & WHITE	
		014	
SUSPENSION LENGTH:	0	2M*	
	0	5M	
	0	CUSTOM (MAX 10M)	
DIMMING:	0	NON-DIM*	
	0	PHASE CUT/TRIAC	
	0	DALI/SWITCH DIM	
COLOUR TEMP:	0	2700K	
COLOGII ILIII :	0	3000K*	
	0	4000K	
FLEX:		LIITDAEINE DI ACV DDAIDED*	
FLEA:	0	ULTRAFINE BLACK BRAIDED* ULTRAFINE WHITE BRAIDED	
	0	OLI MAPINE WHITE BRAIDED	
SEAMLESS CANOPY:	0	BLACK*	
	0	WHITE	
	0	SILVER	
	0	BRASS	

*STANDARD

**Terms and Conditions: Rakumba's clear protection coating significantly increases resistance to oxidation and surface changes over time.

Longevity is not guaranteed for a fixed time period or for all environments; this will vary depending on location, site conditions, cleaning, exposure to caustic substances etc. We recommend treating the surface with care to preserve it as long as possible.

Once damaged, the clear protection coating may be restored - please contact Rakumba for more information.

DATA

RP-E-1502 P	HIGHLINE 1400MM	HIGHLINE 1800MM	HIGHLINE 2400MM		
LIGHTSOURCE	INTEGRATED LED				
POWER	37W	45W	55W		
LUMENS (SOURCE)	Downlighting: 2350lm Uplighting: 2350lm	Downlighting: 3150lm Uplighting: 3150lm	Downlighting: 4350lm Uplighting: 4350lm		
LUMENS (DELIVERED)	1510lm	1890lm	2620lm		
COLOUR TEMPERATURE	3000K				
CRI	CRI80				
PRIMARY VOLTAGE (TO DRIVER)	240VAC				
SECONDARY VOLTAGE (TO FITTING)	24VDC				
PRODUCT WEIGHT	1.2kg	1.6kg	2kg		
PACKED WEIGHT	5kg	6kg	7kg		
PACKED DIMENSIONS	158 x ø11 cm	198 x Ø11 cm	258 x ø11 cm		
DRIVER LOCATION: PHASE CUT/TRIAC OPTION	REMOTE				
DRIVER LOCATION: DALI / SWITCH-DIM OPTION	REMOTE				
IP RATING	IP20				
L70	60,000 HOURS				
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE				

DIMENSIONS

ALL DIMENSIONS IN MILLIMETERS



1400 / 1800 / 2400



ARCHIER

Archier creates design experiences that contribute to a better quality of life. Their work encompasses residential, commercial and government architecture; public and private landscape projects; as well as the design and manufacture of furniture, lighting and construction products.

The studio's directors have over 25 years of combined experience, drawn together to create an inclusive practice that is outcome orientated.

17